

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application. Claims 7-8, 12-13, 17-24, 26-28, 30-31, and 34 are pending in the application with claims 7, 20, 26, and 28 being independent claims. The status of each claim is indicated. Changes to the claims are shown with additions underlined and deletions in ~~striketrough~~. No new matter is added by this amendment to the claims.

1. – 6. (Cancelled)

7. (Currently Amended) A ~~processor~~computer-readable medium encoded with a computer program comprising code representing instructions to cause a ~~processor~~computer to:

analyze information used to define a first path, the information used to define the first path including a first plurality of data elements, each data element from the first plurality of data elements associated with the first path including a spatial value and a time value, each spatial value associated with the first path indicating a position of a person associated with the first path at a time associated with the corresponding time value;

analyze information used to define a second path, the information used to define the second path including a second plurality of data elements, each data element from the said second plurality of data elements associated with the second path including a spatial value and a time value, each spatial value associated with the second path indicating a position of a person associated with the second path at a time associated with the corresponding time value, the spatial values used to define the second path including spatial values not included in the information used to define the first path;~~and~~

determine, at least partially based on the analysis of the information used to define the first path and the analysis of the information used to define the second path, if the person associated with the first path and the person associated with the second path are the same person;
and

remove a data element from the first plurality of data elements when the data element is associated with an exclusion region, the data element associated with the exclusion region being

removed based on a region of interest filter, the data element being removed to prevent linking of the first path with the second path based on the data element.

8. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program further ~~comprising code~~-representing instructions to cause a ~~processor~~the computer to:

output information used to define a third path, if it is determined that the person associated with the first path and the person associated with the second path are the same person, the information used to define the third path including the plurality of spatial values used to define the first path and at least a portion of the plurality of spatial values used to define the second path thereby creating a path representing a limiting of the first and second paths.

9. – 11. (Cancelled)

12. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the information used to define the first path is information from a video image associated with the first path, each spatial value used to define the first path being a spatial value within the video image used to define the first person, the information associated with the second path being information from a video image associated with the second path, each spatial value used to define the second path being a spatial value within the video image.

13. (Currently Amended) The ~~processor~~computer-readable medium of claim 12, wherein the computer program further ~~comprising code~~-representing instructions to cause a ~~processor~~the computer to:

convert each spatial value used to define the first path to a spatial value within a universal coordinate system; and

convert each spatial value used to define the second path to a spatial value within the universal coordinate system.

14. – 16. (Cancelled)

17. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program further ~~comprising code~~-representing instructions to cause a ~~processor~~the computer to:

determine a confidence value that the person associated with the first path and the person associated with the second path are the same person, the ~~code~~computer program representing instructions to cause a ~~processor~~the computer to determine if the person associated with the first path and the person associated with the second path are the same person being configured to make a determination at least partially based on the confidence value.

18. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program ~~code~~-representing instructions to cause a ~~processor~~the computer to determine if the person associated with the first path and the person associated with the second path are the same person includes instructions to determine at least whether an end spatial value of the first path is within a predetermined distance of a start spatial value of the second path, an end spatial value of the first path having a corresponding time value that is chronologically last of all time values uniquely associated with the plurality of spatial values used to define the first path, a start spatial value of the second path having a corresponding time value that is chronologically first of all time values uniquely associated with the plurality of spatial values used to define the second path.

19. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program ~~code~~-representing instructions to cause a ~~processor~~the computer to determine if the person associated with the first path and the person associated with the second path are the same person includes instructions to determine at least whether a time value corresponding to an end spatial value of the first path is within a predetermined time of a time value corresponding to a start spatial value of the second path, the end spatial value of the first path having a corresponding time value that is chronologically last of all time values uniquely associated with the plurality of spatial values used to define the first path, the start spatial value of the second path having a corresponding time value that is chronologically first of all time values uniquely associated with the plurality of spatial values used to define the second path.

20. (Currently Amended) A ~~processor~~computer-readable medium ~~comprising~~
encoded with a computer program code-representing instructions to cause a ~~processor~~ computer
to:

receive information associated with a plurality of paths, each path from the plurality of
paths representing movement of an object defined over time;

iteratively determine, for each path from the plurality of paths, whether that path can be
linked to another path from the plurality of paths at least partially based on a predetermined
linking rule; and

produce a first link between a first path from the plurality of paths and a second path
from the plurality of paths based on the iteratively determining;

produce a second link between a third path from the plurality of paths and a fourth path
from the plurality of paths; and

~~resolve a conflict associated with the link based on a predetermined conflict resolution~~
~~rule; remove the first link between the first path and the second path and remove the second~~
~~link between the third path and the fourth path when information associated with the first link~~
~~and information associated with the second link satisfy a path-breaking rule,~~

the path-breaking rule includes a time-space bubble condition, the information associated
with the first link includes a spatial coordinate and corresponding time value associated with the
first link, the information associated with the second link includes a spatial coordinate and
corresponding time value associated with the second link, the path-breaking rule is satisfied
when the spatial coordinate and corresponding time value associated with the first link and the
spatial coordinate and corresponding time value associated with the second link satisfy the time-
space bubble condition.

21. (Currently Amended) The ~~processor~~computer-readable medium of claim 20,
wherein the computer program code-representing instructions to cause a ~~processor~~ the computer
to resolve is configured to remove a path from a set of linked paths.

22. (Currently Amended) The ~~processor~~computer-readable medium of claim 20, wherein each path from the plurality of paths includes a plurality of data elements, each data element from the plurality of data elements associated with a path from the plurality of paths including a spatial value and a time value, the ~~code~~computer program representing instructions to cause a ~~processor~~the computer to iteratively determine being configured to extract and store at least one data element associated with each path from the plurality of paths, the at least one data element including at least one of a start spatial value, an end spatial value, a length between a start spatial value and an end spatial value.

23. (Currently Amended) The ~~processor~~computer-readable medium of claim 22, wherein the computer program further representing instructions to cause a computer to:

sort each path from the plurality of paths based on start time values associated with the plurality of paths;

sort each path from the plurality of paths based on end time values associated with the plurality of paths; and

~~wherein the code representing instructions to cause a processor to iteratively determine is configured to sort the plurality of paths according to a start time value associated with the start spatial value for each path and an end time value associated with the end spatial value for each path, the code representing instructions to cause a processor to iteratively determine being further configured to iteratively compare the each path from the plurality of paths sorted based on according to the start time values of that path with each path from the plurality of paths sorted based on according to the end time values.~~

24. (Currently Amended) The ~~processor~~computer-readable medium of claim 20, wherein each path from the plurality of paths includes a plurality of data elements, each data element from the plurality of data elements associated with a path from the plurality of paths including a spatial value and a time value, the ~~code~~computer program representing instructions to cause a ~~processor~~the computer to resolve conflicts being configured to determine if at least one of

a distance between an end spatial value of a first path from the plurality of paths and a start spatial value of a second path from the plurality of paths is within a predetermined distance threshold or

a time between an end time value of the first path from the plurality of paths and a start time value of the second path from the plurality of paths is within a predetermined time threshold.

25. (Cancelled)

26. (Currently Amended) An apparatus, comprising:

a first image capture device configured to capture a plurality of images associated with a first physical area over a time period;

a second image capture device configured to capture a plurality of images associated with a second physical area over the time period, the second physical area being substantially different from the first physical area;

a processor in communication with the first image capture device and the second image capture device, the processor being configured to extract a plurality of sets of spatial values and corresponding time values associated with the first physical area from the images associated with the first physical area, the processor being configured to extract a plurality of sets of spatial values and corresponding time values associated with the second physical area from the images associated with the second physical area,

each set from the plurality of sets of spatial values and corresponding time values associated with the first physical area being used to define a path of an object within the first physical area, each set from the plurality of sets of spatial values and corresponding time values associated with the second physical area being ~~being~~ used to define a path of an object within the second physical area,

the processor being configured to associate the path of the object within the first physical area and the path of the object within the second physical area if the processor determines that the plurality of sets of spatial values and corresponding time values associated with the object within the first physical area and the plurality of sets of spatial values and corresponding time

values associated with the object within the second physical area satisfy a time-space bubble criteria,

the processor being configured to prevent merging of the path of the object within the first physical area and the path of the object within the second physical area into a combined path of the object if the processor determines that the combined path will intersect an exclusion region.

27. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program further comprising code representing instructions to cause the computer a processor to:

produce a link between the first path and the second path when the person associated with the first path and the person associated with the second path are the same person; and

resolve a conflict associated with the link based on a predetermined conflict-resolution rule.

28. (Currently Amended) A computer-readable medium encoded with a computer program representing instructions to cause a computer to:

analyze information used to define a first path, the information used to define the first path including a first plurality of data elements, each data element from the first plurality of data elements associated with the first path including a spatial value and a time value, each spatial value associated with the first path indicating a position of a person associated with the first path at a time associated with the corresponding time value;

analyze information used to define a second path, the information used to define the second path including a second plurality of data elements, each data element from the second plurality of data elements associated with the second path including a spatial value and a time value, each spatial value associated with the second path indicating a position of a person associated with the second path at a time associated with the corresponding time value, the spatial values used to define the second path including spatial values not included in the information used to define the first path;

determine, at least partially based on the analysis of the information used to define the first path and the analysis of the information used to define the second path, if the person associated with the first path and the person associated with the second path are the same person; and
~~The processor-readable medium of claim 7, further comprising code representing instructions to cause a processor to:~~

prevent merging of the first path and the second path into a third path when the third path intersects an exclusion region.

29. (Cancelled)

30. (Currently Amended) The ~~processor~~computer-readable medium of claim 7, wherein the computer program further comprising code representing instructions to cause a processor the computer to:

produce a link between the first path and the second path when the person associated with the first path and the person associated with the second path are the same person; and
 remove the link based on a predetermined conflict-resolution rule.

31. (Currently Amended) The ~~processor~~computer-readable medium of claim 20, wherein the predetermined conflict-resolution rule includes a path-breaking rule, the link being removed when the path-breaking rule is satisfied.

32. – 33. (Cancelled)

34. (Previously Presented) The apparatus of claim 26, wherein the processor is configured to resolve a conflict associated with the link.